MC300

Motorcycle/UTV Amplified Speaker System

User's Manual



Congratulations on your purchase of a BOSS Audio Systems Off-road amplified speaker system. It has been designed, engineered and manufactured to bring you the highest level of performance and quality, and will afford you years of listening pleasure.

Thank you for making BOSS AUDIO SYSTEMS your choice for entertainment!



Contents

- 2 x Weatherproof, High Power Speakers with Built-in Amp
- 4 x Speaker Grilles
- 1 x Mounting Hardware

Features

- Weatherproof, High Power Speakers with Built-in Amp
- High-Impact, Hi-Temp ABS Exterior
- Extra Replacement Grilles (Optional Color Scheme 2)
- Stainless Steel brackets
- Weatherproof Wired Remote Volume Control
- 3.5mm Stereo Audio Input Jack
- Wired Remote Volume Control

Installation


- 1. Changing the grilles (Optional) Remove the screws in a criss-cross pattern. Be sure to install them the same way, do not overtighten.
- 2. Screw the brackets to the bottom of the speakers.
- 3. Find a safe, ideal mounting location and fit the brackets over the chosen mounting bars.
- 4. Fasten the mounting screws after you review the safety of the mounting location.

Wiring

- Be sure to run the wiring securely and far away from any moving components.
- 2. Connecting the power cable to the power source: You will need to connect the 12V red wire to a (fused 5A) switched power source.
- Use the 3.5mm stereo jack to connect to your entertainment source (MP3 player, etc).
- 4. Use your player device and wired remote volume controller to control your level of loudness.







Specifications

Operation Voltage	10-16V
THD	<0.1%
S/N	>50dB
Channel Separation	>50dB
Frequency Response	20Hz-20kHz
Sensitivity	150mv
Max Power 400 Watts	



BOSS Audio Systems 3451 Lunar Court • Oxnard, CA 93030 www.bossaudio.com 800.999.1236